MYLERN

GUANGDONG MEILERN CATERING EQUIPMENT CO., LTD.

(formerly named “Guangdong Yipomson Catering Equipment Co., Ltd.”)

Add : Room 101, No. 33 Maxin Road, Yuanjiangyuan,
Changping Town, Dongguan City, Guangdong Province, China

Website: www.yipomson.com
https://meilern.en.alibaba.com
Email: manager@meilern.com
Mob.:+8613925531636

MYLERN

Intertek 5035647

Intertek 5035647

GUANGDONG MEILERN CATERING EQUIPMENT CO., LTD.

Your Trustworthy Commercial Kitchen Equipment Manufacturer

Gas Countertop Series

Gas Combination Range

Gas Convection Oven

Gas Deep Fryer

Electric Food Warmer Cart

Company Overview

Guangdong Meilern Catering Equipment Co., Ltd.(formerly known as “ Yipomson”), located in Changping, Dongguan of China, has been dedicated to design, manufacture, and sales of commercial kitchen equipment since 2015.

Our main equipment categories include gas countertop series(hotplates, charbroilers and griddles), gas combination ranges, gas convection ovens, gas deep fryers, electric food warmer carts and other heavy-duty foodservice equipment. With an area of 30,000 square meters and thanks to our continous upgrade of automatized production, we take pride in flexible capacity to meet diverse OEM and ODM demands from global clients.

Meilern strictly adheres to the philosophy of "customer needs first" , and is committed to creating high-quality commercial catering equipment through strict implementation of quality management system and global certification. The company's strategic focus is on energy-saving, environmental protection, and stability, ensuring reliable quality and safety of products to benefit global customers and users.

CONTENTS

Gas Stove 01

Gas Charbroiler 02

Gas Griddle 03-04

Gas Combination Range 05-06

Gas Convection Oven 07

Gas Deep Fryer 08

Electric Food Warmer Cart 10-12

Gas Stove

RB10-M

Product Name: Gas Stock Pot Range
Dimensions: 462×630×570mm
18"×24.8"×22.25"
Power: 80,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RB12-M

Product Name: 12" Gas Hotplate
Dimensions: 304×728×330mm
12"×28.7"×13"
Power: 2*25,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RB24-M

Product Name: 24" Gas Hotplate
Dimensions: 609×728×330mm
24"×28.7"×13"
Power: 4*25,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RB36-M

Product Name: 36" Gas Hotplate
Dimensions: 914×728×330mm
36"×28.7"×13"
Power: 6*25,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

Gas Charbroiler

RH12-M

Product Name: 12" Gas Charbroiler
Dimensions: 304×728×394mm
12"×28.7"×15.4"
Power: 35,000 BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RH24-M

Product Name: 24" Gas Charbroiler
Dimensions: 609×728×394mm
24"×28.7"×15.4"
Power: 2*35,000 BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RH36-M

Product Name: 36" Gas Charbroiler
Dimensions: 914×728×394mm
36"×28.7"×15.4"
Power: 3*35,000 BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RH48-M

Product Name: 48" Gas Charbroiler
Dimensions: 1220×728×394mm
48"×28.7"×15.4"
Power: 4*35,000 BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RH60-M

Product Name: 60" Gas Charbroiler
Dimensions: 1530×728×394mm
60"×28.7"×15.4"
Power: 5*35,000 BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RG12-M

Product Name: 12" Gas Griddle
Dimensions: 304×728×394mm
12"×28.7"×15.4"
Power: 30,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RG24-M

Product Name: 24" Gas Griddle
Dimensions: 609×728×394mm
24"×28.7"×15.4"
Power: 2*30,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RG36-M

Product Name: 36" Gas Griddle
Dimensions: 914×728×394mm
36"×28.7"×15.4"
Power: 3*30,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RG48-M

Product Name: 48" Gas Griddle
Dimensions: 1220×728×394mm
48"×28.7"×15.4"
Power: 4*30,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RG60-M

Product Name: 60" Gas Griddle
Dimensions: 1530×728×394mm
60"×28.7"×15.4"
Power: 5*30,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

MASTER THE FIRE
MASTER THE FLAVOR

Gas Combination Range

GUANGDONG MEILERN CATERING EQUIPMENT CO., LTD.

RB24-S

Product Name: Gas Burner+Gas Oven
Dimensions: 610×800×1520mm
24"W×31.4"D×60"H
Power:
NG: 153,000BTU/h
LPG: 136,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RB36-S

Product Name: Gas Burner+Gas Oven
Dimensions: 910×800×1520mm
36"W×31.4"D×60"H
Power:
NG: 213,000BTU/h
LPG: 190,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RB50-S

Product Name: Gas Burner+Gas Oven
Dimensions: 1530×800×1520mm
60"W×31.4"D×60"H
Power:
NG: 366,000BTU/h
LPG: 326,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RB12-RG24-S

Product Name: Gas Burner+Gas Griddle+Gas Oven
Dimensions: 910×800×1520mm
36"W×31.4"D×60"H
Power:
NG: 153,000BTU/h
LPG: 136,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

RB36-RG24-S

Product Name: Gas Burner+Gas Griddle+Gas Oven
Dimensions: 1530×800×1520mm
60"W×31.4"D×60"H
Power:
NG: 306,000BTU/h
LPG: 272,000BTU/h
Rear intake pipe connection specifications: 3/4 Inch

Gas Convection Oven

RGC-100

Product Name: Single-Deck Double-Door
Gas Convection Oven
Dimensions: 965×1130×1570(820+750)mm
38"×44.5"×61.7"(32"+29.7")
Inner Chamber Dimension: 740×570×500mm
29"Wx22.5"Dx19.6"H
Power: 54,000BTU/h
Voltage: 120V/60Hz /Single Phase
Rear intake pipe connection specifications: 3/4 Inch

RGC-100D

Product Name: Double-Deck Double-Door
Gas Convection Oven
Dimensions: 965×1130×1750mm
38"×44.5"×68.8"
Inner Chamber Dimension: 740×570×500mm*2
29"Wx22.5"Dx19.6"H*2
Power: 2*54,000BTU/h
Voltage: 120V/60Hz /Single Phase*2
Rear intake pipe connection specifications: 3/4 Inch

Gas Deep Fryer

F3-NG

Product Name: 3-Tube Gas Deep Fryer
Dimensions: 395×770×1150mm
15.5"×31.3"×45.3"
Power: 90,000BTU/h
Oil Capacity: 17-20 L 35-40 lbs
Rear intake pipe connection specifications: 3/4 Inch

F5-NG

Product Name: 5-Tube Gas Deep Fryer
Dimensions: 535×873×1150mm
21"×34.4"×45.3"
Power: 150,000BTU/h
Oil Capacity: 36-42 L 75-80 lbs
Rear intake pipe connection specifications: 3/4 Inch

F4-NG

Product Name: 4-Tube Gas Deep Fryer
Dimensions: 395×770×1150mm
15.5"×31.3"×45.3"
Power: 120,000BTU/h
Oil Capacity: 20-23 L 40-50 lbs
Rear intake pipe connection specifications: 3/4 Inch

Electric Food Warmer Cart

GUANGDONG MEILERN CATERING EQUIPMENT CO., LTD.

AKD-DBW-2-4

Product Name: Double-door 4-layer Food Warmer Cart
Mechanical Version - Stainless Steel Door
Dimensions: 1070×660×880mm
Temperature: +30°C~+85°C
Power: 1.26KW
Voltage: 110V-240V/50Hz-60Hz

AKD-DBW-1-6

Product Name: Single-door 6-layer Food Warmer Cart
Mechanical Version -Stainless Steel Door
Dimensions: 728×937×1402mm
Temperature: +30°C~+85°C
Power: 1.26KW
Voltage: 110V-240V/ 50Hz-60Hz

AKD-DBW-1-6D

Product Name: Single-door 6-layer Food Warmer Cart
Digital Control Version -Tempered Glass Door
Dimensions: 728×937×1402mm
Temperature: +30°C~+85°C
Power: 1.26KW
Voltage: 110V-240V / 50Hz-60Hz

AKD-DBW-1-11

Product Name: Single-door 11-layer Food Warmer Cart
Mechanical Version - Stainless Steel Door
Dimensions: 728×937×1842mm
Temperature: +30°C~+85°C
Power: 2.62KW
Voltage: 110V-240V / 50Hz-60Hz

AKD-DBW-1-11D

Product Name: Single-door 11-layer Food Warmer Cart
Digital Control Version - Tempered Glass Door
Dimensions: 728×937×1842mm
Temperature: +30°C~+85°C
Power: 2.62KW
Voltage: 110V-240V / 50Hz-60Hz

AKD-DBW-11ST

Product Name: Two-channel Single-door 11-Layer Food Warmer Cart
Mechanical Version-Stainless Steel Door
Dimensions: 728×857×1842mm
Temperature: +30°C~+85°C
Power: 1.26KW
Voltage: 110V-240V / 50Hz-60Hz

AKD-DBW-11DST

Product Name: Two-channel Single-door 11-Layer Food Warmer Cart
Digital Control Version- Tempered Glass Door
Dimensions: 728×857×1842mm
Temperature: +30°C~+85°C
Power: 1.26KW
Voltage: 110V-240V / 50Hz-60Hz

Electric Food Warmer Cart

GUANGDONG MEILERN CATERING EQUIPMENT CO., LTD.

AKD-DBW-1-10SK

Product Name: Double-door 10-layer Food Warmer Cart
Mechanical Version - Stainless Steel Door
Dimensions: 728×937×1842mm
Temperature: +30°C~+85°C
Power: 2.62KW
Voltage: 110V-240V / 50Hz-60Hz

AKD-DBW-1-10DSK

Product Name: Double-door 10-layer Food Warmer Cart
Digital Control Version - Tempered Glass Door
Dimensions: 728×937×1842mm
Temperature: +30°C~+85°C
Power: 2.62KW
Voltage: 110V-240V / 50Hz-60Hz

AKD-DBW-2-22

Product Name: Double - door 22 - layer Food Warmer Cart
Mechanical Version - Stainless Steel Door
Dimensions: 1538×937×1842mm
Temperature: +30°C~+85°C
Power: 2.62KW
Voltage: 110V-240V / 50Hz-60Hz

AKD-DBW-2-22D

Product Name: Double - door 22 - layer Food Warmer Cart
Digital Control Version - Tempered Glass Door
Dimensions: 1538×937×1842mm
Temperature: +30°C~+85°C
Power: 2.62KW
Voltage: 110V-240V / 50Hz-60Hz

PRODUCT APPLICATION SCOPE